

8CT

- 8CT1 Micrometer, 0" to 1"
a8CT1 Micrometer, 1" to 2"
a8CT2 Type Alignment Gauge, up to and including 36 point and didot
8CT3 Nozzle Gauge
8CT4 Centring Pin Gauge
8CT6 Nozzle Squaring Post
8CT7 Point Measure Gauges (complete set on board), Pica measure (-166" basis)
a8CT7 Point Measure Gauges (complete set on board), Pica measure (-1667" basis)
b8CT7 Point Measure Gauges (complete set on board), Cicero measure (-1776" basis)
c8CT7 Point Measure Gauges (complete set on board), Fournier measure (-1653" basis)

9CT

- 9CT1 Eye Glass

10CT

- a10CT1 Tweezers

11CT

- b11CT1* Mould Oiler, Composition and Quad Moulds (Not supplied separately, order Xb11CT)
11CT9 Cover
Xb11CT Mould Oiler, Composition and Quad Moulds, group; consists of b11CT1, 11CT9
11CT3 Mould Oiler, Lead and Rule Mould Series 90000
11CT2 Bracket
11CT5 Reservoir, for "Diakon" Lubricator
11CT8 Filter, Felt

12CT

- d12CT1* Thermometer, Centigrade and Fahrenheit (for use without Sheath a12CT5)
e12CT1* Thermometer, Centigrade and Fahrenheit
b12CT3 Support
a12CT4 Support Lock Nut
a12CT5 Sheath (for use with thermometer e12CT1)
Xg12CT Thermometer, Centigrade and Fahrenheit, group; consists of d12CT1, b12CT3, a12CT4
Xh12CT Thermometer, Centigrade and Fahrenheit, group; consists of c12CT1, b12CT3, a12CT4, a12CT5
*This Thermometer can be continually immersed in the melting pot and is protected from attack by type metal by Sheath a12CT5

14CT

- a14CT1 Oil Can (2)
14CT2 Clip, for machines equipped with Ingot Feeder Attachment

15CT

- 15CT1* Type Tray Holder
15CT2 Type Tray Box
15CT3 Orderly Box

21CT

- b21CT1** Cleaning Tool, $\frac{7}{8}$ " Pump Body Bush, lower Shank
*a21CT2** Head
a21CT3 Handle
Xb21CT Cleaning Tool, $\frac{7}{8}$ " Pump Body Bush, lower, group; consists of b21CT1, a21CT2 and 3
*Can be fitted only at Workshops

27CT

- Screwdrivers, for Moulds
27CT6 $\frac{13}{16}$ " x .051" x 3"
27CT7 $\frac{13}{16}$ " x .051" x 3"
27CT8 $\frac{15}{16}$ " x .040" x 3"
27CT9 $\frac{15}{16}$ " x .040" x 3"
27CT10 $\frac{15}{16}$ " x .032" x 3"
27CT11 $\frac{15}{16}$ " x .030" x 3"
27CT12 $\frac{15}{16}$ " x .025" x 3"

29CT

- Cleaning Tool, $\frac{7}{8}$ " Pump Piston Washer
Seating
Shank
Head
Handle
*a29CT1**
*a29CT2**
29CT3
Xa29CT Cleaning Tool, $\frac{7}{8}$ " Pump Piston Washer
Seating group; consists of a29CT1 and 2, 29CT3
*Can be fitted only at Workshops

31CT

- Pump Piston Extractor
Lever
Lever Fulcrum Bracket
Lever Fulcrum Pin
Lever Fulcrum Pin Screw, $\frac{3}{16}$ " x $\frac{11}{32}$ ", grub
X31CT Pump Piston Extractor group; consists of 31CT1 to 4 inclusive

32CT

- Crossblock Oiler, Composition Moulds, Series prior to 20000 (Solid Nick), 20000 and 22000
*32CT11** Body
32CT2 Body Latch
32CT3 Body Latch Bracket
32CT3 assd.† Body Latch Bracket, assembled
32CT4 Body Latch Bracket Screw, $\frac{1}{4}$ " x $\frac{7}{8}$ ", to Main Stand
32CT5 Body Latch Pin
32CT6T‡ Cup
32CT7 Cup Stem
32CT8 Cup Stem Plug
32CT9 Cup Wire
32CT10 Body Plug, large, $\frac{5}{32}$ " x .135" +.5, grub
32CT11 Body Plug, small (3), $\frac{1}{8}$ " x $\frac{5}{32}$ ", grub
32CT12 Body Plunger
32CT13 Body Plunger Spring
32CT14 Body Plunger Spring Abutment
32CT15 Body Pivot
a32CT15 Body Pivot, also anchor for Spring (Type and High Spaces), Type and Rule Caster and Space Casting Attachment for Composition Caster (see Plate 44)
32CT16 Body Pivot Nut
32CT17 Support
a32CT17 Support, Raised Galley Attachment (see Plate 51)
32CT18 Support Screw (2), $\frac{5}{16}$ " x $\frac{13}{32}$ ", grub
32CT19 Pad, front
32CT20 Pad, rear
32CT21 Pad Holder, front
32CT24 Pad Holder, rear
32CT22 Pad Holder Screw (2), $\frac{3}{16}$ " x $\frac{5}{16}$ ", to Body
32CT23 Pad Holder Screw Washer (2)
32CT24 (refer after 32CT21)
X32CT Crossblock Oiler, Composition Moulds, Series prior to 20000 (Solid Nick), 20000 and 22000, group; consists of 32CT11, 32CT3 assd., 32CT4, 32CT6T, 32CT12 to 17 inclusive, 32CT18(2), 32CT19, 20 and 21 32CT22(2), 32CT23(2), 32CT24
Xa32CT Crossblock Oiler, Composition Moulds, Series prior to 20000 (solid Nick), 20000 and 22000, Type and Rule Caster, group; consists of X32CT, but with a32CT15 in place of 32CT15
*32CT11 consists of 32CT1, 32CT10, 32CT11(3)
†32CT3 assd. consists of 32CT2 and 3, 32CT5
‡32CT6T consists of 32CT6 to 9 inclusive

33CT

- 33CT1T** Base Pad, Shock Absorber (4)
a33CT1 Base Pad, Cork (Not supplied separately, order Xa33CT)
33CT2 Container (4) (Not supplied separately, order 33CT1T)
a33CT2 Rim (Not supplied separately, order Xa33CT)
X33CT Base Pad, Shock Absorber, group; consists of 33CT1T(4)
Xa33CT Base Pad, Cork, group; consists of a33CT1 and 2
*33CT1T each consists of 33CT1 and 2

34CT

- Driving Pulley Extractor
34CT1 Body
34CT2 Bolt
34CT3 Bolt Stop Pin (2)
34CT4 Bolt Washer (2)
34CT5 Screw
X34CT Driving Pulley Extractor group; consists of 34CT1 and 2, 34CT3(2), 34CT4(2), 34CT5

35CT

- Precision Tools
Box
35CT1 Precision Tools group; consists of 8CT1, a8CT2, 8CT4, 9CT1, a10CT1, 35CT1
Xa35CT

36CT

- 36CT1* Type Alignment Slip Gauge (specify Type Line), .0500" and onwards
36CT2 Board with-Hooks

42CT

- 42CT1* Grease Gun, for Jaw Tongs Spring Box, double

44CT

- a44CT1* Mould Oiler, Large Composition, Display, Duplex and Short Lead and Rule Moulds (Not supplied separately, order Xa44CT)
44CT2 Cover
Xa44CT Mould Oiler, Large Composition, Display, Duplex and Short Lead and Rule Moulds, group; consists of a44CT1, 44CT2

45CT

- 45CT1* Base Tray

46CT

- 46CT1* Dust Cover, for machine

47CT

- 47CT1* Sorts Matrix Storage Box, for .2" x .2" Matrices, 10 x 32 rows

48CT

- Pump Cleaning Equipment
48CT1 Brush, for Pump Piston
48CT2 Brush, for $\frac{7}{8}$ " Pump Body
48CT3 Box
48CT4 Paste, for Pump Piston
X48CT Pump Cleaning Equipment group; consists of 48CT1 to 4 inclusive

49CT

- 49CT1* Cabinet, for Matrix Boxes
49CT2 Vertical Support Clip
49CT3 Horizontal Clip